

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	156290	antenna	US-PGPUB; USPAT
2	BRS	L2	353264	conductor	US-PGPUB; USPAT
3	BRS	L3	6628	pillar and flange	US-PGPUB; USPAT
4	BRS	L4	204457	(circuit near3 board) or pcb	US-PGPUB; USPAT
5	BRS	L5	25	1 and 2 and 3 and 4	US-PGPUB; USPAT
6	BRS	L6	873756	substrate or dielectric	US-PGPUB; USPAT
7	BRS	L7	31764	pillar	US-PGPUB; USPAT
8	BRS	L8	3196	6 with 7	US-PGPUB; USPAT
9	BRS	L9	138	1 and 8	US-PGPUB; USPAT
10	BRS	L10	267	1 and 3	US-PGPUB; USPAT
11	BRS	L11	102138 3	pillar or column or post	US-PGPUB; USPAT
12	BRS	L12	161426 6	flange or plate	US-PGPUB; USPAT
13	BRS	L13	3341	1 and 2 and 11 and 12	US-PGPUB; USPAT
14	BRS	L14	3189	343/700ms.ccls.	US-PGPUB; USPAT

	Time Stamp	Comments	Error Definition	Errors
1	2005/09/22 15:27			
2	2005/09/22 15:28			
3	2005/09/22 15:30			
4	2005/09/22 15:29			
5	2005/09/22 15:29			
6	2005/09/22 15:29			
7	2005/09/22 15:32			
8	2005/09/22 15:30			
9	2005/09/22 15:31			
10	2005/09/22 15:31			
11	2005/09/22 15:32			
12	2005/09/22 15:32			
13	2005/09/22 15:33			
14	2005/09/22 15:33			

	Type	L #	Hits	Search Text	DBs
15	BRS	L15	208	13 and 14	US- PGPUB; USPAT

	Time Stamp	Comments	Error Definition	Errors
15	2005/09/22 15:33			